



Authority22® Lane Machine

R8-030000-000 (115V)

R8-030003-000 (230V)

The Authority22 Lane Maintenance System by Brunswick addresses industry challenges by combining advanced technologies with Brunswick's unparalleled understanding of the lane maintenance needs of bowling centers.

- Accu-ject™ innovation allows precise direct application of lane conditioner to the lane surface, board by board.
- Pattern development becomes simpler, faster and more predictable.
- No more wicks or smoothing pads.
- The buffer brush blends the conditioner for smoother pattern transition.



Authority22® W22 Lane Conditioner

62-860205-005

- 100% solids, 22.0 viscosity.
- 100% Silicone free.
- Pattern friendly, mechanic friendly.
- Special grade Swedish oil.
- Formulated for all lane surfaces.



Authority22® Lane Cleaner

62-860206-005

- Special additive package to clean even the toughest lane conditioners.
- Special defoaming agent for large tanks.
- Cleans with one pass.
- Guaranteed performance.



Authority22® Duster Cloth

62-860207-000

The Authority22 Lane Duster Cloth cleans the lane before the cleaner is applied. The process uses less cloth and helps the cleaner work directly on the conditioner, not the surface dirt.

- Water resistant core.
- Special fiber maximizes scrubbing action.
- Absorbs dirt and cleaner fast.



No-Spill Mixing Vessel

14-860209-000

- Patented technology.
- Controls flow of liquid to cleaner tank.
- Convenient no-spill container.



Judge™ Lane Cleaner

62-860006-005 (5 Gallons)

Judge lane cleaner is designed to remove difficult to clean lane conditioners. Formulated with an enhanced additive package to produce Brunswick's strongest cleaner yet. The Judge is a non-hazardous cleaner that can be used with all vacuum lane cleaning equipment.

- Water based lane cleaner.
- Designed for difficult to clean conditioners.
- Premium performance.
- Fresh scent.
- For vacuum lane cleaning only.



Invincible® Lane Cleaner

62-860055-005 (5 Gallons)

62-860055-030 (30 Gallons)

Designed to clean even the toughest lane conditioners. Formulated to be fast acting for today's newer lane machines. Simply the most effective lane cleaner available today.

- Water based lane cleaner
- Special additive package to clean even the toughest lane conditioners.
- Guaranteed performance.
- For vacuum lane cleaning only.



Absolute Control® Lane Conditioner

62-860143-005 (5 Gallons)

62-860143-001 (1 Gallon)

Brunswick Absolute Control is a high-tech combination of the formulas and ingredients from Brunswick's highly successful Absolute HV and Control lane conditioners. These two formulas combine to make one great lane conditioner that has all of the benefits of Control – durability, flexibility and easy cleaning – and has the awesome resistance to carry-down that has made Absolute HV a best seller for over 10 years. Two great conditioners in one!

- Absolute Control – 100% solids, 19.0 viscosity.
- Consistent performance game after game.
- Less carry-down, keeping your back ends and pinsetters/pinpointers clean.
- Formulated for compatibility with all lane surfaces.
- Easily removed with any Brunswick lane cleaner.
- Available in 5 gallon and 1 gallon containers.
- 100% Silicone free.



Control® Lane Conditioner for Sanction Technology and Wick Lane Machines

62-860046-005 (5 Gallons)

62-860046-001 (1 Gallon)

Control lane conditioner offers lasting patterns, reduced carry-down and better ball reaction. Control features Brunswick's exclusive Volumetric Flexibility to give you more room for error and greater adaptability to a wider range of lane conditioning needs.

- Control – 100% solids, 35.0 viscosity.
- Durable pattern performance game after game.
- Formulated for compatibility with all lane surfaces.
- Available in 5 gallon and 1 gallon containers.
- 100% Silicone free.



Control®LV Lane Conditioner for Wick Lane Machines - Viscosity 28

62-860141-005 (5 Gallons)

62-860141-001 (1 Gallon)

Now you can have all the great characteristics of Control lane conditioner – lasting patterns, reduced carry-down and better ball-reaction – with Control LV low viscosity conditioner. Control LV low viscosity formula improves wick-flow performance in wick lane machines and wick application. Both lane conditioners feature Brunswick's exclusive Volumetric Flexibility to give you more room for error and greater adaptability to a wider range of lane conditioning needs.

- Control LV – 100% solids, 28.0 viscosity.
- Durable pattern performance game after game.
- Formulated for compatibility with all lane surfaces.
- Available in 5 gallon and 1 gallon containers.
- 100% Silicone free.



Approach Dry Slide

62-860210-600
(12-11.2 oz Canisters)

Approach Dry Slide is a non-abrasive powder used to eliminate sticky approaches. It can be used on both wood and synthetic approaches and is easy to apply. Offered in a convenient 11.2 oz shaker canister for ease of application.

- Non-abrasive.
- Eliminates sticky approaches.
- Used on both wood and synthetic approaches.
- Best product offered to eliminate sticky approaches.



**Pin Deck Treatment
Brunswick Liquid Friction**

62-860138-000
(2 - 1 Gallon container with 1 spray bottle)

Effectively ends out-of-range and sliding pin problems. Liquid Friction quickly and effectively increases the coefficient of friction of pins decks, promoting falling pins over sliding pin action.

- Easy to use.
- Just spray and dry.
- Works effectively with both wood or synthetic pin decks.



IPA 99 Synthetic Approach Cleaner

61-860254-000
12 - 1 Quart bottles with 4 sprayers
61-860255-000
4 - 1 Gallon refill bottles

Synthetic approaches need to be cleaned with a product that will not leave moisture on the approach surface. IPA 99 effectively "conditions" a synthetic approach after it has been spot cleaned; it also displaces surface moisture as part of a regular synthetic approach maintenance program.

- Convenient 1 quart spray bottles with sprayer.
- One gallon refill containers.
- Pulls moisture from synthetic approaches.
- Not recommended for use on wooden approaches.

Deck Chute Conditioner

62-860029-000 (1 Quart)



Improve the durability and performance of your deck chutes with deck chute conditioner. Longer lasting, and more stable, this Advanced Performance deck chute conditioner has been designed to minimize deck jams by allowing pins to slide easily through the chutes.

- Improved formula promotes longer chute life.
- Durable and more stable.
- Minimizes deck jams and downtime.



Gold Edge Lane Cleaning / Dusting Cloth

61-860252-000 (4 Rolls/carton)

Sets the new standard in lane cleaning and dusting cloth. Composed of a specially designed mixture of fibers to maximize "scrubbing action" and to edge out the competition.

- 60' per roll.
- Specially designed scrubbing weave.
- MAX absorb design for fast and complete cleaner pick up.

LANE CONDITIONERS AND LANE CLEANERS



Authority22® W22 Lane Conditioner

62-860205-005

Authority22 W22's enhanced additive package combined with a special blend of Swedish oil creates an easy to use product with reduced carry down that can be easily removed with normal daily cleaning. This premium performance lane conditioner works great on all lane surfaces and can be used with all lane machine technologies. It is Brunswick's top recommendation for synthetic lanes.

- 100% solids, 22.0 viscosity.
- 100% Silicone free.
- Pattern friendly, mechanic friendly.
- Special grade Swedish oil.
- Formulated for all lane surfaces.



Command™ Lane Conditioner

62-860022-005 (5 Gallons)

Throbot™-tested, proven in leagues and tournament play worldwide. Formulated to stay put and stand up to today's high-performance bowling balls and bowlers. For wick and wickless machines.

- 100% solids, 22.5 viscosity.
- Cleans easily.
- Consistent performance in high lineage centers.
- Less breakdown in the heads, less carry-down in the back ends.
- Wicks quickly.
- 100% Silicone free.

Absolute Control®

62-860143-005 (5 Gallons)

62-860143-001 (1 Gallon)

Brunswick Absolute Control is a high-tech combination of the formulas and ingredients from Brunswick's highly successful Absolute HV and Control lane conditioners. These two formulas combine to make one great lane conditioner that has all of the benefits of Control – durability, flexibility and easy cleaning -- and has the awesome resistance to carry-down that has made Absolute HV a best seller for over 10 years. Two great conditioners in one!

- Absolute Control – 100% solids, 19.0 viscosity.
- Consistent performance game after game.
- Less carry-down, keeping your back ends and pinsetters/pinspotters clean.
- Formulated for compatibility with all lane surfaces.
- Easily removed with any Brunswick Lane Cleaner.
- Available in 5 gallon and 1 gallon containers.
- 100% Silicone free.



Brunswick Absolute HV

62-860106-005 (5 Gallons)

Reduce carry-down and get more consistent lane conditions with this revolutionary European lane conditioner.

- High viscosity formula.
- Works well on any lane surface.
- Removed easily with any Brunswick lane cleaner.
- 100% Silicone free.

The Equalizer Conditioner Additive

62-860875-001 (4 x 1 Gallons)

Fine-tunes your lane conditions. Use The Equalizer with any Brunswick conditioner to customize them to your center's own particular needs.

- Concentrated formula.
- Allows adjustments for temperature, humidity and lineage.



Control® Lane Conditioner

62-860046-005 (5 Gallons)

62-860046-001 (1 Gallon)

Control® LV Lane Conditioner

62-860141-005 (5 Gallons)

62-860141-001 (1 Gallon)

Control® and Control LV lane conditioners offer long-lasting patterns, reduced carry-down and better ball reaction. Control LV's reduced viscosity improves wick flow in wick lane machines. Both lane conditioners feature Brunswick's exclusive Volumetric Flexibility to give you more room for error and adaptability to a wider range of lane conditioning needs.

- Control – 100% solids, 35.0 viscosity.
- Control LV – 100% solids, 28.0 viscosity.
- Durable pattern performance game after game.
- Formulated for compatibility with all lane surfaces.
- Available in 5 gallon and 1 gallon containers.
- 100% Silicone free.

Clear™ 100% Solids Lane Conditioner

1208015 (5 Gallons) Clear High Viscosity

1208115 (5 Gallons) Clear Low Viscosity

- Combats conditioner depletion due to reactive bowling balls, track flare and poor lane surfaces.
- 100% solids—no harmful solvents.
- Lighter base oils to allow superior flow.
- Cleaner than other 100% solids formulations.
- Remains uniformly smooth following application.
- Environmentally friendly.
- Two viscosities available.
- Blendable to create the ideal viscosity for ANY type lane surface or finish.

LANE CONDITIONERS AND LANE CLEANERS



Judge™ Lane Cleaner

62-860066-005

Judge lane cleaner is designed to remove difficult to clean lane conditioners. Formulated with an enhanced additive package to produce Brunswick's strongest cleaner yet. The Judge is a non-hazardous cleaner that can be used with all vacuum lane cleaning equipment.

- Water based lane cleaner.
- Designed for difficult to clean conditioners.
- Premium performance.
- Fresh scent.
- For vacuum lane cleaning only.



Intense™ Concentrated Cleaner

62-860139-012 (12 Quarts)

Never has so much cleaning power been packed into such a small package! Intense lane cleaner is a concentrated liquid that mixes more effectively and efficiently than tablet concentrates to give you more coverage for your dollar. Available in 12 one-quart packages.

- 1 quart equals 5 gallons of cleaner.
- Soluble liquid formula offers easy, efficient mixing.
- Freight savings.
- Recommended for use with vacuum lane cleaning machines.



Authority22® Lane Cleaner

62-860206-005

- Special additive package to clean even the toughest lane conditioners.
- Special defoaming agent for large tanks.
- Cleans with one pass.
- Guaranteed performance.



CV98 All Purpose Cleaner

62-860198-005 (5 Gallons)

62-860198-030 (30 Gallons)

Heavy-duty lane cleaning – and more. CV98 is the pacesetter for cleaning power and speed, as a new generation of surfactants, solvents and detergents take on high-viscosity mineral oils, ground-in grit and conditioners.

- Tough on all lane conditioners; gentle on all vacuum lane-stripping equipment.
- Cleans virtually anything in your center: pinsetters, machinery, balls, pins, shoes, kitchens, restrooms, masking units, and any kind of flooring.
- Streak-free formula works on glass and metal surfaces, too.

CV88 All Purpose Cleaner

62-860188-005 (5 Gallons)

62-860188-030 (30 Gallons)

All purpose cleaner recommended for use in all vacuum lane strippers. Works well in other areas of the bowling center, too – from everyday cleaning to stubborn grease and grime.

- Diluted five-to-one, vigorously cleans dirty lanes.
- Streak-free formula works on glass and metal surfaces, too.



Invincible® Lane Cleaner

62-860055-005 (5 Gallons)

62-860055-030 (30 Gallons)

Designed to clean even the toughest lane conditioners. Formulated to be fast acting for today's newer lane machines. Simply the most effective lane cleaner available today.

- Water based lane cleaner.
- Special additive package to clean even the toughest lane conditioners.
- Guaranteed performance.
- For vacuum lane cleaning only.

Squeaky LD Lane Cleaner

62-860054-005 (5 Gallons)

The name says it all. You can't beat Squeaky for hand cleaning your lanes.

- Water-based, low in detergent.
- No residue left behind, just a "squeaky" clean lane.



Muscle® Lane Cleaner

1304425 (5 Gallons)

- Water based lane cleaner.
- Special additive package to clean even the toughest lane conditioners.
- Guaranteed performance.
- For vacuum lane cleaning only.

White Glove™ Multi-Purpose Cleaner

1375915 (5 Gallons)

13759130 (30 Gallons)

- Ideal for any type of lane surface or finish.
- Recommended for use in all vacuum lane cleaning machines and manual lane cleaning.
- Leaves no film or residue.
- Can be diluted for various cleaning jobs around the entire center.

LANE CONDITIONERS AND LANE CLEANERS

Lane Conditioners: Comparison of Physical Characteristics

Conditioner	Viscosity	Surface Tension	% Solids	% Evaporation	Specific Gravity	Wicking Time
*Brunswick Absolute	14.7	29.7	100%	7.1	0.855	13:57
Brunswick Absolute Control	19.0	24.0	100%	7.3	0.879	N/I
Brunswick Absolute HV	19.6	29.6	100%	7.1	0.855	18:30
Brunswick Authority22 W22	22.0	21.7	100%	0.0	0.853	N/I
Brunswick Command	22.5	26.1	100%	7.1	0.848	7:10
Brunswick Control	35.0	24.5	100%	7.1	0.852	13:47
Brunswick Control LV	28.0	24.5	100%	7.1	0.852	7:50
DBA Clear 801 High Viscosity	19.9	32.5	100%	0.0	0.864	14:12
DBA Clear 811 Low Viscosity	15.2	32.5	100%	0.0	0.864	11:15
*DBA Clear Super 50	50.0	32.3	100%	0.0	0.865	28:38
*DBA Endurance	11.6	29.0	85%	15.0	0.840	2:30
*DBA LaneTech	22.5	24.4	100%	0.0	0.849	7:10
*DBA ProTech	35.0	24.5	100%	0.0	0.851	13:47

*Discontinue 2008

Lane Dusting tips

- Do NOT apply pressure to the Lane Maid unit—simply drag behind and let the weight of the unit apply pressure to the lane surface.
- ALWAYS ratchet to a fresh, clean portion of cloth for each lane.
- Hang the Lane Maid unit between uses—if allowed to rest on the floor, a flat spot will be created in the foam roller.
- For best results, dust all lanes from pin deck to foul lines.



Lane Dusting / Cleaning Cloth

52-860078-000 - Lane Duster Cloth

61-860168-000 - Lane Duster Cloth

61-860250-000 - Lane Cleaning Cloth

61-860252-000 - Gold Edge Cloth

Keep your customers satisfied by giving them ideal lane conditions.

- White duster cloth removes dust from lanes without interfering with your conditioner pattern.
- Strong cloth is made from 100% rayon fibers that attract and hold dust and dirt while leaving conditioner undisturbed.
- The perfect refill for any brand lane duster (see comparison chart).




Brunswick Lane Maid

61-860158-001

Brunswick's unique design provides the ideal way to get the dust without disturbing the lane condition.

- Aluminum support bar applies even pressure to foam pad and duster cloth for a complete cleaning, regardless of lane conditions.
- Cloth contours to any lane and any lane surface.
- Automatic action ratchet advances duster cloth with no fuss.
- 43" wide duster cleans the entire lane in one pass.
- Lightweight for easy maneuvering.
- Installing clean duster cloth is a snap.



Precision Gutter and Capping Mop Refills

62-860094-000 (Set of two mop heads)

Don't let old, worn mop heads increase your work by forcing you to double run the gutters.

- Replace the old with clean, new mop heads.
- Same high-quality mop heads as your original.
- Heavy-duty reinforced stitching, strong lint-free cotton yarn, machine washable.
- Set comes complete with one larger mop head for ball return caps and gutters and one smaller head for division caps and gutters.



Precision Gutter and Capping Mops

62-860093-000 (Set of two mops)

Cut your cleaning time in half by using these convenient mops.

- Specially designed mop head cleans cap and gutters at the same time.
- One mop has a larger head for ball return caps and gutters, the smaller mop cleans division caps and gutters.
- Package comes complete with one mop of each size.
- Mop head made from strong woven yarn that grabs dust from caps and gutters.
- Heavy-duty reinforced stitching prevents lint-free yarn from coming loose.
- Mop heads are machine washable.
- Swivel handle for easy operation.



Lane Maintenance Applicator

61-860230-000 (Complete applicator)

If you're cleaning lanes by hand, there's no better tool to use.

- Reinforced handle won't break or bend as you apply pressure.
- Replaceable pads are made from durable nylon.
- Grips terry cloth lane towels for heavy-duty lane cleaning.
- Use Brunswick Key Towel 2 1/2 yards or 3 1/2 yards.

LANE DUSTING SUPPLIES



Red Edge® Lino-Duster® Cloth

- The number one selling duster cloth in the world!
- Strong, long fibers trap and hold dirt.
- Removes dirt while leaving conditioner pattern undisturbed.
- Available in sizes to fit any lane maintenance machine or lane duster.
- 100 yards per carton.

See Chart Below



8460XL® Lane Cleaning Cloth

- Developed for use with all lane cleaning equipment.
- Heavier weight than normal duster cloth.
- Virtually “scrubs” cleaning solution onto lane surface.
- Now with 20 additional feet of cloth per carton.

See Chart Below



Lane Maid® Lino-Duster®

178500 DBA Lane Maid Lino-Duster (includes 1 roll of 8430 Red Edge cloth)

- Rugged, lightweight, all metal construction.
- Designed to apply even pressure to not disturb conditioner pattern.
- Redesigned ratchet for added durability.
- Adaptable adjusting device holds all widths of wooden core cloth.

Dowel B (7/8" Diameter)



Core C



Dusting Supplies

181150 DBA Tack Cloth (Package of 50)

180449 DBA Lane Towel (One dozen)

178581 DBA Lane Maintenance Bar (Ea)

180454 Lane and Channel Mop

180454R Lane and Channel Mop refill (Ea)

180446 Channel Mop (Ea)

180446R Channel Mop refill (Ea)

Lane Duster Comparison Chart

Lane Duster Type	Brunswick	AMF	DBA	Core/Dowel	Rolls Per Carton	Yards Per Roll	Cloth Width	Overall Width
Brunswick, DBA, Perry-Austen Lane Maid DBA Aluminum Duster DBA Lane Runner	61-860168-000	294008430	8430	B	3	33 1/3	43"	44 3/8"
Brunswick Lane Duster All Century Machines PA Champion Century Hot Duster DBA Strip n' Dust DBA Lane Walker DBA Excel	52-860078-000	294008443	8443	C	4	25	43"	44 3/4"
8460XL Lane Cleaning Cloth	61-860250-000	294008460	8460	C	4	18 1/3	43"	44 3/4"
Gold Edge Lane Cleaning Cloth	61-860252-000	N/A	N/A	C	4	20	43"	44 3/4"



Approach Spot Cleaner

62-860034-004 (4 x 1 Gallons)

Keep your approaches looking clean and spotless.

- Removes dirt and heel marks fast and efficiently.
- Solvent-based cleaner dries quickly.
- For use on all approach surfaces.



Approach Mop

62-860095-000 (Complete mop)

Keeping your approaches clean is essential for optimum sliding conditions.

- 36" wide mop head is ideal for dusting approaches.
- Durable cotton yarn head attracts dust and dirt, leaving your approaches clean.
- Washable and replaceable.



IPA 99 Synthetic Approach Cleaner

61-860254-000

(12 x 1 Quarts with 4 sprayers)

61-860255-000 4 refill bottles (1 Gallon each)

Synthetic approaches need to be cleaned with a product that will not leave moisture on the approach surface. IPA 99 effectively "conditions" a synthetic approach after it has been spot cleaned; it also displaces surface moisture as part of a regular synthetic approach maintenance program.

- Convenient 1 quart spray bottles with sprayer.
- One gallon refill containers.
- Pulls moisture from synthetic approaches.
- Not recommended for use on wooden approaches.



Approach Treatment

62-860078-001 (4 x 1 Gallons)

Take the stickiness out of your approaches.

- Improves slide conditions for sticky approaches.
- Provides long-lasting, effective treatment on both wood and synthetic lanes.



Approach Mop Refill

62-860096-000 (Mop head refill)



Armor Slide

62-860024-000 (2 Gallons)

Give your synthetic approaches better slide characteristics—use Armor Slide.

- General purpose approach aid improves approach performance.
- For synthetic approaches only.



Approach Dry Slide

62-860210-600 (12 x 11.2 Oz Canisters)

Approach Dry Slide is a non-abrasive powder used to eliminate sticky approaches. It can be used on both wood and synthetic approaches and is easy to apply. Offered in convenient 11.2 oz shaker canisters for ease of application.

- Non-abrasive.
- Eliminates sticky approaches.
- Used on both wood and synthetic approaches.
- Best product offered to eliminate sticky approaches.

APPROACH SUPPLIES



Formula "C" Approach Conditioner

120562B (12 x 13 oz. cans)

120562C (4 x 1 Gallons)

- Relieves chronic stickiness.
- Designed for use on coated wood approaches (On approaches with water-based finish, test first on an inconspicuous part of the approach.)



Approach Mop

180435

Complete 5" x 36" consists of 1 each: stainless steel frame, handle & refill



Approach Mop Head Refill

180435R 5" x 36" (each)



Dura-Slide® 562-S™

120562S (2 x 1 Gallons)

plus empty pint spray bottle per carton

- Reduces approach stickiness on synthetic lanes.
- Buffed with a terry cloth pad.



Aquarius® 2601 Approach Cleaner

1326011 (4 x 1 Gallons)

- Developed for wood approaches coated with water-based finish.
- Removes dirt, oil, crayon, ball and shoe marks.
- Approaches ready for use immediately after cleaning.



Ballworx® Ball Polisher

14-860170-090 (United States)
220 Volt, 50/60 Hertz

Provides your bowlers with the ball polishing service they demand and puts money in your pocket.

- Purchase or vend.
- Easy price and machine cycle changes.
- Convenient dollar bill acceptor.
- House ball cycle.
- Programmable color LED displays your custom messages.
- Programmable Coin Mechanism for worldwide coin acceptance and programmability. Multiple coins can be programmed (including U.S. dollar coin and tokens).



Automatic Pinsetter Cleaner

62-860083-005 (5 Gallons)

Here's an effective way to degrease and clean your metal pinsetter parts.

- Strong, solvent-based cleaner cuts through tough pinsetter grease and grime.
- Note: Do not use on nonmetal parts.



Lustre Sheen Polishing Compound

14-800007-000
(2 Compound blocks per package)

Provides a higher level of polish (the standard compound for Ballworx). 100% compound, no fillers.

- Offers highest gloss of any polishing compound.
- For plastic, urethane or performance bowling balls.
- Fits Ballworx, Lustre Kleen and Lustre King.

Lustre KLEEN Compound

14-800003-000

Whether you're cleaning rubber or high performance balls, the original LustreKLEEN Compound is still the best.

- Specially formulated conditioning compound for use in our Lustre King, LustreKLEEN, Perry Austen Gleem machine, and all Century Ball Performance Center machines.
- Cleans and polishes urethane, rubber, and plastic balls.
- Special formulation is guaranteed not to break.



Blue Genie® Compound

203001 DBA Blue Genie®
(2 Compound blocks per package)

- Cleans and polishes all types of bowling balls.
- Specially packaged to avoid breakage.
- Fits Brunswick Lustre King, Lustre Kleen and Ballworx machines.



Brunswick Liquid Friction Pin Deck Treatment

62-860138-000 (2 x 1 Gallons)
plus empty pint spray bottle per carton

Effectively ends out-of-range and sliding pin problems. Liquid Friction quickly and effectively increases the coefficient of friction of pins decks, promoting falling pins over sliding pin action.

- Easy to use.
- Just spray and dry.
- Works effectively with both wood or synthetic pin decks.



Deck Chute Conditioner

62-860029-000 (1 Quart)

Improve the durability and performance of your deck chutes. Longer lasting and more stable, this Advanced Performance deck chute conditioner has been designed to minimize deck jams by allowing pins to slide easily through the chutes.

- Improved formula promotes longer chute life.
- Durable and more stable.
- Minimizes deck jams and downtime.

MAINTENANCE SUPPLIES



Pin Deck Treatment

1375852 (2 x 1 Gallons)

plus empty pint spray bottle per carton

1375851 (1 Gallon)

- Reduces sliding pins.
- Works well on either wood or synthetic decks.



Sani-Spray Shoe Sanitizer

61-860062-000

Strike rental shoe odor dead with power to spare.

- Clean, fresh scent to please your customers.
- Keeps your front desk storage area odor free for a pleasant work environment.
- One 15-ounce can sanitizes approximately 300 pairs of shoes.
- Sold in cases of 12 cans.



Aero-San® Shoe Deodorizer

190170 (12 x 12 Oz. cans)

- Completely deodorizes and sanitizes rental shoes.
- Each can will freshen approximately 500 pairs of shoes.



#6040 Non-Toxic Machine Cleaner

1360405 (5 Gallons)

- Removes even the toughest dirt, oil and grease.
- Non-toxic formulation.
- Non-flammable.
- Metal parts can be submerged in cleaner without damage.
- Dries quickly with no film.



Tile-Lastic® Waxless Floor Coating

1905611 (4 x 1 Gallons)

- Contains no wax.
- Easy to apply—dries quickly.
- Needs no buffing or polishing.
- Can be used on all types of floors.



Aerosol Approach Spotter

130190 (12 x 13.5 Oz. cans)

- Easy to use.
- Great for quick spot cleaning.



Buffer Roller Cover

183018 DBA Buffer Roller Cover – carpet material (Each)

183018M DBA Buffer Roller Cover – mohair material for a thinner, more consistent application (Each)

- Fits DBA/Century 100 lane conditioning machines.



Chlorinite® Solvent #008

1300091 (4 x 1 Gallons)

- Non-flammable.
- Quick drying.

Maintenance Gear

180702 Shoe Covers

180703 Protective Gloves



Pinbrite Pin Cleaner

63-860156-000

Make your pins look like new again.

- Special formula cleans and moisturizes pins, increasing their life.
- Gives pins a clean, bright appearance.
- Available in a five-gallon container.
- Use with Brunswick Spin Clean.



Grey Automatic Pinsetter Paint

62-860062-000 (One 12 oz. can)

Keep your pinsetter looking as good as new. Fix nicks, scratches and scrapes quickly and easily.

- This is the original grey paint used on the automatic pinsetter.
- Convenient spray paint dries quickly to a durable finish.
- Available in a 12-ounce aerosol can.



#522 Non-foaming Pin Cleaner

1305225 (5 Gallons)

- Non-Foaming.
- Quick Drying.
- Cleans both Surlyn® and nylon coated pins.

Cosmic® Fog Fluid

62-860112-004 (4 x 1 Gallons)

Brunswick Cosmic fog fluid is a water based formulation created to be used as a special effect for open bowling or special events.



Command Network™ Team Scoring Recap Forms

57-860422-000 (4-part form/package of 750)

Choose the format that meets your needs.

- Use this special NCRTM paper in Command Network printers.
- Distribute forms to team captains, league secretaries, offices/managers, newspapers, or others who could benefit from the scores.



Detergent Pin Cleaner #555

1305555 (5 Gallons)

- Contains no solvents or hazardous fumes.
- Non-flammable.
- Cleans both Surlyn® and nylon coated pins.
- An excellent all purpose cleaner, DBA #555 can be used on wood, metal and painted surfaces.



Printer Paper for Command Network Receipts

57-860412-000

Always hand customers a receipt for their purchases.

- One 90' roll of white receipt paper.



Source Power Printer Paper

67-860251-000

This paper is ideal for printing league records, bowler information, accounting ledgers, and more.

- 8 1/2" wide white paper for use in your Source Power Printer.
- Tractor feeds are perforated for easy removal.
- Package of 3,400 sheets.

TOP MOVING LANE MACHINE PARTS

Part Number	Description	Part Number	Description
1530001	TRANSPORT CASTER 3" 1/2" BORE	1538207	SQUEEGEE BRAKE MOTOR ASSY
1530005B	45" X 5" GLUELESS WICK MATERIAL	1538403	MOTOR, DUSTER CONE BRAK-7/110V
1530005K	L/W WICK REPLACEMENT KIT	1538407	BUFFER BRUSH ASSY (3-3/4" DIA)
1530204H	VACUUM MOTOR HOUSING, 110V -EA	1538410	ASSY, LANE EDGE GD ROL W/BSHNG
1530207	SPRAY TIP-STAINLESS STEEL (8003)	1538410K	GUIDE ROLLER ASSY
1530207A	LCM SPRAY TIP (TP11003-SS)	1538805	QX VACUUM MOTOR 220V/96 CFM
1530208S	SPRAYHOSE 1/4" OD PER INCH	1538812	ASSY, SLND CABLE - 7.625" (PX)
1530217	CONNECTOR-MALE BODY 1/4 NYLON	1538812A	SOLENOID CABLE - 8.25" (PX)
1530218	TIP RETAINER CAP CONNECTOR	1538824	PVC TAKE-UP REEL ASSY 44-3/4"
1530220	SCREEN CHECK VALVE POLYPROPYLENE 10#	1538834	PX SQUEEGEE KIT, BROWN (2/PKG)
1530402	CASTER, DOUBLE 2" TRANSPORT	1538838	CUSHION RLLR ASSY W/STEMS-PX PXS XL
1530812	TRANSPORT CASTER HEAVY DUTY 2"	1539015	BELT, BUFFER TIMING PULLEY
1530815	UNION TEE QUICK DISCONNECT EA	1540007	SPRAY TIP - STAINLESS STEEL
1531012	SPEED CONTROL BOARD/DC MOTOR	1540202	PUMP TUBING STOCK 3/8" OD x 1/4" ID
1531016	RELAY, LY-2 - 120 VOLT	1540202A	PENCIL TUBING STOCK 1/4" ODX 1/8" ID
1531018	RELAY, LY-3 - 120 VOLT	1540202B	PENCIL TUBING STOCK 3/16" OD 1/16" ID
1531027	SOLENOID 110V	1540212	TANK FILTER (5" SS)
1531031A	SENSOR, PASS THROUGH (OMRON)	1540212B	FILTER FOR SUPPLY TANK (5"SS) PVC
1531202	SWITCH, MICRO - NO ROLLER	1540248	REDUCING UNION CONNECTOR
1531203	SQUEEGEE POSITION MICROSWITCH	1540255	IN-LINE FILTER
1532006	FLAT WASHER - 3/88	1540260	FLEXIBLE HOSE STOCK/VACUUM BY INCH
1532401	SPRING GUIDE, ROLLER	1541209	VALVE FOR OIL CONTROL 24V DC
1532407	SHOULDER BOLT, GUIDE ROLLER	1541220	SENSOR - INDUCTIVE PROX.
1532540A	SPRING FOR WIPING PAD (1-3/4")	1541262	FUSE-TIME DELAY (.75A MDL) UL
1536417	MOUNTING BAR, GUIDE ROLLER (XL)	1541268C	FUSE-TIME DELAY (4A ABC) UL-CERAMIC
1537005R	MOMENTARY WHEEL RADIUS EDGE	1548210	CIRCUIT BOARD ASSM/ SPEED CONT
1538010C	SOLENOID CABLE ASSEMBLY (6.312")	1548229A	CORD ASM 125'110V 3800S 20 AMP PLUG
1538017	ASSY, BUFFER BRUSH 4 1/2" DIA.	1548267	FILTER ASSY (IN-LINE) FOR OIL SUPPLY
1538065	DRIVE MOTOR (MAXI-TORQ 110V)	1548617	PATTERN SMOOTHING PAD ASSY-STANDARD
1538103A	ASSY 3"WICK PLATE W/PADS MODELS A&B	1548617V	VELCRO STOCK-PAT SMOOTHING PAD 1X3
1538105A	ASSY 5"WICK PLATE W/PADS MODELS A&B	1548641	BUFFER BRUSH ASSEMBLY - STANDARD
1538107A	ASSY 7" WICK PLATE W/PADS MODELS A&B	1548684	RECVRY TANK REPL. FILTER FOR 1548683
1538110A	ASSY 10" WICK PLATE W/PADS MODEL A&B	1548805	VACUUM MOTOR ASSY 115/120V KUSTODIAN
1538204	SQUEEGEE BLADE RPLMNT-PR BLUE	1548805E	VACUUM MOTOR ASSY 230V KUSTODIAN
1538205	ASSY, VACUUM MOTOR 110 VOLT	1548817	CHECK VALVE ASSEMBLY FOR TANK VENT
		1548867	IN-LINE CLEANER FILTER